

# Eazy Horizontal Sliding Screen



## Fitting Instructions

[www.flydor.co.uk](http://www.flydor.co.uk)

**t:** 01603 897 799 **e:** [sales@flydor.co.uk](mailto:sales@flydor.co.uk)



# EASY SLIDER WINDOW & DOOR SCREEN SYSTEM

Please read through before installing your screen.



Your screen pack will consist of the following items

1. Outer Frames - flat packed.
2. Fully assembled sliding inner panes.
3. Fittings – Handles and screws. *(No fixings are supplied).*


Assemble the outer frame as per **diagram A**

Predrill outer frame as **diagram B**

1. Mark desired position of fixings (along centre line of profile).
2. Drill pilot hole through whole of profile.
3. Drill 10mm hole in inner surface only.
4. Secure to recess with suitable screws.
5. Cover hole with 10mm cover caps supplied.



Outer frame fitted into recess with cover cap. **diagram C**




Drill pilot hole and fit handles directly to panes as **diagram D**

*Note; check that you have the nylon gliders in the bottom runner track, before fitting the handle to the outer edge of the frame !*



Simply push the inner pane top track into the desired top runner, and then lift the bottom track onto the corresponding lower runner. Your Pane should now slide backwards and forwards as required.



Finished screen with multiple panes.



### **Maintenance;**

*The Easy Slider System is an ideal screening solution for commercial environments. To maintain optimum performance please keep tracks and runners free from dirt and debris. The Inner panes simply lift out for cleaning as necessary. Both the frames and mesh can be cleaned with a mild detergent solution. Simply sponge over and leave to dry.*

